



TitanSlitter

Duplex slitter

TitanSlitter ER610

Technical Data

Materials

Films, Refined papers,
Laminates

Material thickness

12 - 200 μm (0.5 - 8 mil)

Material widths

1,350 mm (53") · 1,650 mm (65")

Parent roll diameters

1,000 mm (39")

Finished roll diameters

610 mm (24")

Finished roll weights

400 kg (880 lbs)

Slitting systems

Razor · In Air · In Groove · Shear

Slitting widths

≥ 50 mm (2") - 1,100 mm (43.3")
(25 mm (1") Option)


Winding cores

70 mm (2.75") · 76 mm (3")
152 mm (6")

Machine speed

max. 550 m/min (1804.5 ft/min)

Reliability.
A definite strength
of the TitanSlitter.




Standard Features:

- Fully Electric Operation - AC Drives
- Minimum Web Path length
- Integrated Shaftless Unwind
- Load Cell / Pneumatic Braked Tension isolation System
- Digital Edge / Line Guide System
- S' Wrap Main Drive (No Nip)
- Individual Male Combination Knife Holders
- Radial Contact Rolls
- Titan Differential Centre Winding System
- Integral Edge Trim Extraction Blower
- Selection of unloaders

TitanSlitter ER610. Compact Footprint - Flexible Operation.

Flexibility, efficiency, ease of operation in a compact one piece construction, the TitanSlitter ER610 offers a cost effective and highly versatile solution for today's market. Fully electric operation, with speeds up to 550 m/min and rewind diameter of 610 mm, the integrated design minimises floor space at the production site and ensures rapid installation and start up.

The Titan ER610 addresses the needs of converters who do not require high levels of automation.



Wide range of equipment options

Optional Features:

- Flag Detection Camera
- Impression Counter
- Unwind Raise and Lower Electric Facility
- Vacuum Splice Table with Clamps
- Rewind Antistatic Bars
- Laser (Line) Core Positioning
- Motorised Reel Pusher
- Roll Out Pneumatic Shaft (Large Slit Width Reels)
- EU Safety



SCAN ME

Your partners worldwide

Germany

Kampf GmbH

Mühlener Straße 36-42 • 51674 Wiehl

fon +49 2262 81-0

info@kampf.de

www.kampf.de

United Kingdom

Atlas Converting Equipment Ltd.

8 Wolsley Road, Woburn Road Industrial Estate

Kempston • Bedford, MK42 7XT

fon +44 1234 852553

sales@atlasconverting.com

service@atlasconverting.com

www.atlasconverting.com

USA

Kampf Machinery Corporation

Kennedy Technology Center

900 River Street, Unit H • Windsor, CT-06095

fon +1 860 640 0040 • info@kampfusa.com

www.kampfusa.com

Atlas Converting North America, Inc.

9801-F Southern Pine Boulevard • Charlotte, NC 28273

fon +1 704 587 2450

sales.usa@atlasconverting.com

service.usa@atlasconverting.com

www.atlasconverting.com

China - Hong Kong

Kampf (Hong Kong) Co. Ltd.

Room 803, 8/F • Wanchai Commercial Centre

194-204 Johnston Road, Wanchai • Hong Kong

fon +852 2882 1136

kampfhk@kampf.com.hk

China - Shanghai

Kampf Machinery (Shanghai) Co. Ltd.

302-304, Floor 3 • No. 8, Sunnyworld Center

Lane 1518, South Yumin Road

Jiading District • 201801 Shanghai

fon +86 21 5951 8030

kampf@kampf-cn.com

India

Kampf Machinery India Pvt. Ltd.

413, fourth floor, Atlantis Heights Sarabhai

Compound, Near Genda Circle • 390007 Vadodara, Gujarat

fon +91 962 404 4922

service@kampf-india.com

Kampf Machinery India Pvt. Ltd.

Office no. 1121, Tower no. A, Plot No. A-40, ITHUM Building

Sector-62 • 201309 Noida, Uttar Pradesh

fon +91 96240 89896

sales@kampf-india.com